No.



9700083

ISH Resenreh Youndation

Diecens, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED, AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY, PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY NA PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE JRPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED HE PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (1) SHALL D BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF IONS SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

#### **DURUM WHEAT**

'Ben'

In Testimony Thereof, I have hereunto set my hand and caused the seal of the Hunt Hariety Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of August in the year of our Lord one thousand

U.S. DEPARTMENT OF AGRICULTURE  AGRICULTURAL MARKETING SERVICE  SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTEC	The following statements are made in accordance with the Privacy Act 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.  Application is required in order to determine if a plant variety protects certificate is to be issued (7 U.S.C. 2421). Information is held confident until certificate is issued (7 U.S.C. 2426).			
APPLICATION FOR PLANT VARIETY PROTECTION (Instructions and information collection burden stateme				
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME		
NDSU Research Foundation		D87130	'Ben'	
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Count		5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY	
c/o Executive Director	• • • • • • • • • • • • • • • • • • • •	o. Telefilone mende area coop	PVPO NUMBER	
PO Box 5014		701-231-8931	9700083	
Fargo, ND 58105-5014		6. FAX (include area code)	F DATE	
		701-231-1013	Can 17 1997	
GENUS AND SPECIES NAME	8. FAMILY NAME (Bota	nical)	N G FILING AND EXAMINATION FEE:	
Taitiana tunaidum I	<b></b>		E \$ 2450,00	
Triticum turgidum L.	Framineae	<u> </u>	E DATE	
CROP KIND NAME (Common name)		4.	R Jan. 17, 1997	
Durum Wheat			E CERTIFICATION FEE:	
if the applicant named is not a "person", give form of organizat 501 (c) (3) Corporation – NDSU Rese	rion <i>(corporation, partner</i> earch Founda	ation	\$ 300+00	
IF INCORPORATED, GIVE STATE OF INCORPORATION North Dakota		May 1989	Dela 22/1897	
NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERV		I AND RECEIVE ALL PAPERS	14. TELEPHONE (include area code)	
	Zetocha		704 004 0470	
•	cutive Direc		701-231-8159	
•	SU Research Box 5014	Foundation	15. FAX (include area code)	
	go, ND 581	05-5014	701-231-8474	
CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow in	-		1	
a. XXExhibit A. Origin and Breeding History of the Variety		·		
b. XX Exhibit B. Statement of Distinctness				
c. XXExhibit C. Objective Description of the Variety				
d. XXxhibit D. Additional Description of the Variety (Optional)				
e. XXExhibit E. Statement of the Basis of the Applicant's Ownership				
f. XX oucher Sample (2,500 viable untreated seeds or, for tuber propagated			ned in an approved public repository)	
q. XXFiling and Examination Fee (\$2,450), made payable to "Treasurer of the DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY V XXYES (If "yes," answer items 18 and 19 below)		S A CLASS OF CERTIFIED SEED? (See Sect	ion 83(a) of the Plant Variety Protection Ac	
DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITED A		9. IF "YES" TO ITEM 18, WHICH CLASSES	S OF PRODUCTION BEYOND BREEDER SEE	
GENERATIONS?  AT YES INO		X FOUNDATION X REGISTERED XXCERTIFIED		
HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN RELE		FOR SALE, OR MARKETED IN THE U.S. OR	OTHER COUNTRIES?	
Xi YES (If *yes,* give names of countries and dates)	NO USA - 1	Release date – March	27, 1996	
The applicant(s) declare that a viable sample of basic seed of the variety will be applicable, or for a tuber propagated variety a tissue culture will be deposited in			ordance with such regulations as may be	
The undersigned applicant(s) is(are) the owner(s) of this sexually reproduced or t Section 42, and is entitled to protection under the provisions of Section 42 of the			distinct, uniform, and stable as required in	
Applicant(s) is(are) informed that false representation herein can jeopardize prote	ction and result in penalti	c3.		
IATURE OF APPLICANT (Owner(s))	SIGNAT	URE OF APPLICANT (Owner(s))		
Dale Betocha	İ			
E (Please print or type)	NAME (	Please print or typel		
Dale Zetocha			•	
ACITY OR TITLE DATE	CAPACI	ITY OR TITLE	DATE	
/	/ I	•		
Executive Director  NDSU Research Foundation  1/10  1-470 (03-96) (Previous editions are to be destroyed)	6/97		information collection burden state	

# EXHIBIT A - ORIGIN AND BREEDING HISTORY

## 'BEN'

Fall 1	983	Original cross made at North Dakota State University (NDSU) greenhouse. Pedigree - D8024/Monroe D8024 - D76119/Vic D76119 - D68111/Rugby//Ward D68111 - D65150/lds D65150 - pi/TM//2*TC/3/ZB/Wells
Spring	1984	F <sub>1</sub> plants, NDSU greenhouse.
Summer	1984	$\mathbf{F}_2$ plants, NDSU research land.
Summer	1985	$F_3$ head rows, NDSU research land.
Summer	1986	$F_4$ head rows, NDSU research land.
Summer	1987	$\mathbf{F}_5$ head rows, NDSU research land.
Summer	1988	F <sub>6</sub> preliminary yield trail, two locations, NDSU research land. Experimental line designation - D87130
Summer	1989	$F_7$ Advanced yield trial, two locations, NDSU research land.
Summer	1990	$\mathbf{F}_8$ Elite yield trial, three locations, NDSU research land.
Summer	1991	F, Uniform Regional Durum Nursery, 15 locations, North Dakota, South Dakota, Minnesota, Montana, and Canada.
Summer	1992	$F_{10}$ Uniform Regional Durum Nursery, 15 locations, North Dakota, South Dakota, Minnesota, Montana, and Canada.
Summer	1993	${f F}_{11}$ Uniform Regional Durum Nursery, 15 locations, North Dakota, South Dakota, Minnesota, Montana, and Canada.

Summer 1994	Uniform Regional Durum Nursery, 15 locations, North Dakota, South Dakota, Minnesota, Montana, and Canada.
Summer 1995	Uniform Regional Durum Nursery, 15 locations, North Dakota, South Dakota, Minnesota, Montana, and Canada.
Summer 1995	Seed increase by Seedstocks Project.
March 17, 1996	D87130 was released as a named cultivar, Ben.
Summer 1996	Second seed increase by Seedstocks Project.


Ben was observed for ten generations from 1987 to 1996 and was shown to be stable and uniform. Ben has been rogued at the  $F_5$  and subsequent generations. The frequency of rogued plants in each generation was less than 1/1000 plants. No variants were found in the variety Ben.

The pedigree breeding method was used to develop Ben. In early generations  $F_2$ .  $F_4$  high heritable traits such as plant height, maturity, and disease resistance were selected. Starting at  $F_5$  generation, selection criteria also included grain yield, test weight, kernel weight, and pasta quality traits (i.e., protein content, gluten strength, milling extraction, spaghetti color, cooking quality, etc.). Based on data from multiple locations and years Ben was selected for its high yield and test weight, large kernel size, and moderate resistance to tan spot Pyrenophora triticirrepentis.

#### EXHIBIT B - NOVELTY STATEMENT

To my knowledge, Ben most nearly resembles Munich durum wheat. DNA analysis using STS-PCR products (Talbert et al., 1994) can easily differentiate Ben from Munich. Polymerase Chain Reaction (PCR) products of primer sets ABC 454 when separated on a 7% polyacrylamide gel, an approximately 410 base pairs DNA fragment can be found in Munich that is not present in Ben.

Figure 1. PCR product ABC 454 separated on a 7% polyacrylamide gel shows the critical 410 bp band. Lanes a and b represent uncut samples of Ben and Munich, respectively. Lanes c and d represent Hinf I restriction digested samples of Ben and Munich, respectively. Lane  $\lambda$  is molecular weight marker and lane e is negative control without genomic DNA.



#### Materials and Methods

DNA was extracted from a bulk of 12 seedling leaf stage plants from each of Munich and Ben using the protocol described in Anderson et al., (1993). Primer sets ABC 454 was obtained from Dr. Thomas Blake at Montana State University. The PCR amplification, restriction digest and polyacrylamide gel analysis was performed as described by Talbert et al., (1994) with the exception of an amplification profile of 30 cycles at 94 °C for 1 min., 50 °C for 1 min., and 72 °C for 1.2 min.


This is an attachment to exhibit B, showing that Ben and Munich durum wheat can be unambiguously differentiated by molecular markers. Restriction Fragment Length Polymorphism (RFLP) analysis using clones BCD292 and Fba204 shows polymorphism between Ben and Munich.

Figure 2. RFLP analysis of EcoR I - digested genomic DNA showing restriction fragment size polymorphism between Ben and Munich.

Panel A Autoradiogram of Ben and Munich DNA hybridized with clone BCD 292.

Polymorphism is shown by the presence of a 10.6 kilobasepairs DNA fragment present in Ben and 8.2 Kilobasepairs DNA fragments in Munich.

Panel B Auotoradigram of clone Fba 204 which shows 12.6 and a 7.7 Kilobasepairs DNA fragment present in Ben and 5.5 Kilobasepairs DNA fragment in Munich.



#### Materials and Methods

Genomic DNA extraction, restriction endonuclease digesion, and Southern blotting were described in Anderson et al (1993). RFLP clones were obtained from Mark Sorrells at Cornel University (BCD clone) and Philippe Leroy at Institute National de la Recherche Agronomique (Fba clone). Both clones were known to hybridize to low-copy DNA sequences. The procedure was repeated twice to confirm results.

#### References

Anderson, J.A., M.E. Sorrells, and S.D. Tanksly. 1993. RFLP analysis of genomic regions associated with resistance to preharvest sprouting in wheat. Crop Sci. 33:453-459.

Talbert, L.E., N.K. Blake, P.W. Chee, T.K. Blake, and G.M. Magyar. 1994. Evaluation of "Sequence-Tagged-Site" PCR products as molecular markers in wheat. Theor. Appl. Genet. 78:495-504.

# EXHIBIT C

#### U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE COMMODITIES SCIENTIFIC SUPPORT DIVISION BELTSVILLE, MARYLAND 20706

# OBJECTIVE DESCRIPTION OF VARIETY

INSTRUCTIONS: See Reverse. WHEAT (TRITICUA	L SPPJ
NAME OF APPLICANTIS	FOR OFFICIAL USE ONLY
NORTH DAKOTA STATE UNIVERSITY RESEARCH FOUNDATION	970083
Box 5014	VARIETY HAME OR TEMPORARY OFFICHATION
Fargo, ND 58105-50514	
Place the appropriate number that describes the varietal character of the Place a zero in first box (e-s- 0 8 9 or 0 9 ) when number is eith	s variety in the boxes below. er 99 or less or 9 or less.
1. KINDS 2 1 = COMMON 2 = DURUM 3 = EMMER 4 = SPELT 5 = POLI	ISH 6 = POULARD 7 = CLUB
2 TYPE,	2
1 1 = SPRING 2 = WINTER 3 = OTHER (Specify) 2	1 = SOFT 3 = OTHER (Specify) 2 = HARO
3 1 = WHITE 2 = RED 3 = OTHER (Specify) Amber	
3. SEASON - HUMBER OF DAYS FROM EMERGENCE TO:	
0 5 9 FIRST FLOWERING 0	6 4 LAST FLOWERING
(_MATURITY (SO% Flowering):	•
0 1 NO. OF DAYS EARLIER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS
NO. OF DAYS LATER THAN	4 = LEMN: 5 = NUGAINES 6 = LEEDS
. PLANT HEIGHT (From soil level to top of head):	•
0 9 3 cm. HIGH	and the second of the second o
CM. TALLER THAN	
CM. SHORTER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS
U121	4 = LEMHI 5 = NUGAINES 6 = LEEDS
	ITHER COLOR:
2 I = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN 1	1 = YELLOW 2 = PURPLE
Anthocyania: I = ABSENT 2 = PRESENT 2	Waxy bloom: 1 = ABSENT 2 = PRESENT
Hairiness of last  internode of tachis: 1 = ABSENT 2 = PRESENT  1	Intermodes: [ = HOLLOW 2 = SOLID
	O CM INTERNODE LENGTH BETWEEN FLAG LEAF
0 4 NO. OF NODES (Originating from node above ground	AND LEAF BELOW
. AURICLES:	
1 Aathocyania: 1 = ABSENT 2 = PRESENT	Hairiness: I = ABSENT 2 = PRESENT
. LEAF:	
1 Flag leaf at   = ERECT 2 = RECURVED 1 booting stage: 3 = OTHER (Speedly): 1	Flag leaf: 1 = HOT TWISTED 2 = TWISTED
1 Hairs of first leaf sheath: 1 = ABSENT 2 = PRESENT 1	Wazy bloom of flag leaf aboath: 1 = ABSENT 2 = PRESENT
1 0 MM. LEAF WIOTH (First load below flag 1000	6 CM. LEAF LENGTH (First leaf below flat leaf):
ORM LMGS 470-6 (6-82) (Formerly Form LPGS 470-6 (3-79), which may be us	ed)

			~77.000o.
Density: 1 = LAX	2 = 0ENSE	)4 Shape: 1 = TAP	
	white 2 = vellow 3 = pink	3 = AWNLETED 4 = AW 4 = REO	HED
1 Color at maturity:		HER (Specily):	······································
12. GLUMES AT MATUR  3 Length: 1 = SHOR  3 J = LONG		1 3	(CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm
6 Shoulder 1 = WAN shape: 4 = SQU		Beak: 1= oaru	SE 2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLO		14. SEEDLING ANTHO	
15. JUVENILE PLANT G	ROWTH HABIT:		· · · · · · · · · · · · · · · · · · ·
3 1 = PROSTRATE	2 = SEMI-ERECT 3 = ER	ECT	
14. SEED:			
3 Shape: 1 = OVATE	2 = OVAL 3 = ELLIPTICAL	Cheek: 1 = ROUN	DED 2 = ANGULAR
1 Brush. 1 = SHORT	2 = MEDIUM 3 = LONG	Brush: 1 = NOT	COLLARED 2 = COLLARED
2 (See Instructions):	1 = IVORY 2 = FAWN 3 = LT. BRO 4 = BROWN 5 = BLACK		
2 Color: 1 = WHITE	2 = AMBER 3 = RED 4 = PURPLE	S = OTHER (Specify)	·97 USD A
0 7 MM. LENGTH	0 4 MM. WIDTH	4 2 GM. PER 1000	P SEEDS
17. SEED CREASE:			
12	LESS OF KERNEL 'WINOKA' ESS OF KERNEL 'CHRIS'		R LESS OF KERHEL 'SCOUT'
	AS WIDE AS KERNEL "LEMHI"	_	A LESS OF KERNEL LEMHI
18. DISEASE: (0 = Not Tes	ted, 1 = Susceptible, 2 = Resistant)		
2 STEM RUST	2 LEAF RUST	0 STRIPE RUST	O LOOSE SMUT
O POWDERY MILDEN	О винт	OTHER (Specify)	
19. INSECT: (0 = Not Tosh	od, 1 = Susceptible, 2 = Resistant)		
O SAWFLY	O APHIO (Bydv.)	0 GREEN BUG	O CEREAL LEAF BEETLE
OTHER (Specify)	HESSIAN FLY	0 GP 0 A	0 B 0 C
	RACES:	00 0 5	0 F 0 G
20. INDICATE WHICH YARI	ETY MOST CLOSELY RESEMBLES THAT S	UBMITTED.	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant tillering	Munich.	Seed size	Munich
Leaf size	Munich	Seed shape	Munich
Leaf calor	Munich	Coleoptile elongation	Munich
Leaf corriage	Munich	Seedling pigmentation	Munich

#### INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965. A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

#### EXHIBIT D - ADDITIONAL DESCRIPTION OF VARIETY

On the average 1000 kernel weight of Ben is 5.8 mg higher than Munich (Table 1). The data for kernel weight is normally distributed for all three year. Data across years is not presented because years were not homogenous. Tables 2 and 3 provide additional agronomic and quality data for information purposes only.

Table 1. Kernel Weight Mean of Ben and Munich at Dickinson, North Dakota.

Genotype	1993	1994	1996
	· · · · ·	mg	
Ben	39.0	44.6	39.2
Munich	31.2	39.5	34.6
LSD (0.05)	3.0	3.1	3.7

Table 2. Mean of agronomic traits and diseases of Ben and selected cultivars grown at various locations in North Dakota, Canada, Montana, South Dakota, and Minnesota (1991 through 1995).

Genotype	Yield	Test Weight	Kernel Weight	Heading	Height	Leaf dis.	Lodging
	bu/A	lb/bu	mg	days	cm	(O-9)	(O-9)
BEN	51.3	60.0	42.4	63.0	92.8	3.8	1.6
MUNICH	48.8	58.2	38.1	62.9	90.0	4.8	2.8
MONROE	45.4	58.4	41.9	60.0	92.4	4.6	2.3
VIC	47.0	59.1	40.8	62.3	98.0	4.5	2.6
RENVILLE	50.5	58.9	37.5	63.4	97.5	4.6	2.5
RUGBY	49.1	59.7	39.0	62.5	98.4	4.1	2.5
LLOYD	44.9	55.0	38.2	64.4	72.9	5.5	1.3

Table 3. Summary of quality evaluations for Ben grown at 32 location/years in field plots (1991 through 1995).

	<u>% Pro</u>	otein_			<u>% E</u> >	ctraction	Kerne	l Size
Genotype	Wheat	Semolina	Mixograph	Sedimen- tation	Total	Semolina	% Large	% Small
				mm				
Ben	14.5	13.7	6.4	44	69.3	60.2	54	2
Munich	14.4	13.8	5.3	40	69.7	60.2	38	4
Monroe	14.3	13.6	6.2	42	69.4	60.2	50	2
Vic	14.5	13.8	5.8	41	69.4	59.8	47	2
Renville	14.5	13.7	5.8	41	69.9	60.6	28	5
Rugby	14.5	13.7	3.0	24	69.4	60.3	38	3
Lloyd	14.3	13.4	6.2	45	68.3	59.0	32	6

#### **EXHIBIT E - STATEMENT OF THE BASIS OF THE APPLICANT'S OWNERSHIP**

Dr. Elias M. Elias, an employee of the North Dakota Agricultural Experiment Station and North Dakota State University, is a plant breeder who developed 'Ben' the durum wheat cultivar for which Plant Variety Protection is hereby sought. The employee by agreement and because of the condition of the use of facilities and funds of the North Dakota Agricultural Experiment Station and North Dakota State University has assigned all ownership rights to 'Ben' durum wheat to the North Dakota Agricultural Experiment Station and North Dakota State University.

North Dakota State University on behalf of the North Dakota Agricultural Experiment Station has assigned all ownership to the NDSU Research Foundation. The NDSU Research Foundation is a nonprofit corporation set up to own and manage the intellectual property of North Dakota State University.

REPRODUCE LOCALLY. Include form number and date on all reproductions.  U.S. DEPARTMENT OF AGRICUATURE		FORM APPROVED
AGRICULTURAL MARKETING SERVICE	The following statements are man 1974 (5 U.S.C. 552a) and the Page	FORM APPROVED - OMB NO. 0581. de in accordance with the Privacy A enwork Reduction Act (PRA) of 1995
EXHIBIT E	. 2	TOOK IFICAL OF 190C
STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to	determine if a plant variety prote
THE DASIS OF OWNERSHIP	until certificate is issued (7 U.S.C.	o determine if a plant variety prote 2421). Information is held confide 24261
1. NAME OF APPLICANT(S)		2420/.
	2. TEMPORARY DESIGNATION	3. VARIETY NAME
NDSU Research Foundation	OR EXPERIMENTAL NUMBER	1
- Touridation		1
	D87130	IDENI
4 4000000	30.130	'BEN'
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) -C/O Executive Director	·	<u></u>
· · · · · · · · · · · · · · · · · · ·	5. TELEPHONE (include area code)	6. FAX finckide area codel
PO BOX 5014	701-231-8931	
FARGO,ND 58105-5014		701-231-1013
5014	7. PVPO NUMBER	
	1 9 to	000 85
8. Does the applicant own all rights to the variety? Mark an "X" in appropriate		45
и вругорияте	DIOCK. If no, please explain.	X YES NO
		X YES NO
O to the		
<ol> <li>Is the applicant findividual or company) a U.S. national or U.S. based company</li> </ol>		•
If no, give name of country	,	X YES NO
10. Is the applicant the original owner?		⊠.⇔ □wo
YES X NO If no. please an		
	swer the following:	
8 If original sister as		
a. If original rights to variety were owned by individual(s), is (are) t	he original numerics of the master of	£-13
X YES NO If no, give name of country		(5)?
b. If original rights to variety were owned by a company, is the original variety was a company.		
Character and a company, is the ong	inal owner(s) a U.S. based compan	y?
YES NO If no, give name of country		
1. Additional explanation on exposed is #		
1. Additional explanation on ownership (If needed, use reverse for extra space):		
See additional Exhibit E Statement of the Basis of this application.	of the Applicant's Own	ership included :
- I-p-noation;		or strip included ill
	•	
EASE NOTE:		
•		
int variety protection can be afforded only to owners (not licensees) who meet on		
If the rights to the variety are asset to	e of the following criteria:	
If the rights to the variety are owned by the original breeder, that person must be of a country which affords similar protection to nationals of the U.S. for the same	e a U.S. national, national of a UPC genus and species.	V member country, or national
If the rights to the variety are assess to at		
If the rights to the variety are owned by the company which employed the origin nationals of a UPOV member country, or owned by nationals of a country which genus and species.	al breeder(s), the company must be	U.S. based, owned by
	protection to hation	als of the U.S. for the same
If the applicant is an owner who is not the original owner, both the original owner		
Original breeder/overses — which is a second of the original owner	and the applicant must meet one	of the above criteria.
original breeder/owner may be the individual or company who directed final breedefinition.	ling. See Section 411-1121 -4 -4	Ynne Waring D

collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications. To file a complaint, write the Secretary of Associative U.S. Department of Associative Washington D.C. 20250 or call 1,800-245-6340 (voice) or

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.